

Date Prepared: 12/14/2010

MSDS No: 0513 Date Revised: 03/30/2015

Revision No: 4

Detco 109

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Detco 109
GENERAL USE: Cleaner
PRODUCT CODE: 0513

MANUFACTURER

Detco Industries, Inc. PO Box 430 Conway, AR 72033

Product Stewardship: (800) 282-2133

24 HR. EMERGENCY TELEPHONE NUMBERS CHEMTREC (US Transportation): (800) 424 - 9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Serious Eye Damage, Category 1 Skin Corrosion, Category 1B

GHS LABEL



Corrosion

SIGNAL WORD: DANGER HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENT(S)

Prevention:

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with federal, state and local regulations.



Date Prepared: 12/14/2010

MSDS No: 0513 Date Revised: 03/30/2015

Revision No: 4

Detco 109

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Water	to 100%	7732-18-5
Benzenesulfonic Acid, C10-16-alkyl Derivs.	2 - 5%	68584-22-5
2- Butoxyethanol	2 - 5%	111-76-2
Sodium Hydroxide	2 - 5%	1310-73-2
Sodium Alkylnaphthalenesulfonate	1 - 2%	N/A

4. FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If pain and/or irritation persists, get medical attention.

SKIN: Flush affected area with water for 15 minutes. Remove contaminated clothing. If pain and/or irritation persists, get medical attention. Launder clothes before reusing.

INGESTION: Do not induce vomiting. Give 2 glasses of water. Get immediate medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: None.

EXTINGUISHING MEDIA: Carbon dioxide, water, foam or dry chemical.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain spill. Absorb liquid and place in sealed container for disposal.

7. HANDLING AND STORAGE

STORAGE: Store in a tightly closed container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION



Date Prepared: 12/14/2010

MSDS No: 0513 Date Revised: 03/30/2015

Revision No: 4

Detco 109

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL ACGIH TLV		Suppli	erOEL		
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
	TWA	50 ppm ^[1]	240 mg/m3 ^[1]	20 ppm ^[2]	97 mg/m3 ^[2]	NL ppm	NL ppm
2- Butoxyethanol	STEL	ppm	mg/m3	ppm	mg/m3	NL mg/m3	NL mg/m3
Sodium Hydroxide	TWA	[1]	2 [1]			NL	NL
	STEL	[3]	[3]			NL	NL

Footnotes:

- 1. NL = Not Listed
- **2**. S = Skin
- **3**. C = Ceiling

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields (or goggles).

SKIN: Wear rubber or nitrile gloves.

RESPIRATORY: None.

PROTECTIVE CLOTHING: None.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Butyl **COLOR:** Green

pH: > 12

FLASHPOINT AND METHOD: > (200°F) (Calculated)

FLAMMABLE LIMITS: N/D to N/D
VAPOR PRESSURE: Not Determined
VAPOR DENSITY: Not Determined
BOILING POINT: Not Determined
FREEZING POINT: Not Determined
SOLUBILITY IN WATER: Soluble
EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.05

(VOC): < 4.000 %

10. STABILITY AND REACTIVITY



Date Prepared: 12/14/2010

MSDS No: 0513 Date Revised: 03/30/2015

Revision No: 4

Detco 109

HAZARDOUS POLYMERIZATION: Will not occur.

STABILITY: Stable.

CONDITIONS TO AVOID: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon. **INCOMPATIBLE MATERIALS:** Strong acids, organic materials.

11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY

Chemical Name	IARC Status
2- Butoxyethanol	3

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Not available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid N.O.S

TECHNICAL NAME: (Sodium Hydroxide)
PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: 1760
PACKING GROUP: II
LABEL: CORROSIVE

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)



Date Prepared: 12/14/2010

MSDS No: 0513 Date Revised: 03/30/2015

Revision No: 4

Detco 109

Che	mical Name	Wt.%	CERCLA RQ
Sod	ium Hydroxide	2 - 5%	1,000 lbs.

16. OTHER INFORMATION


PREPARED BY: E. Spicer **Date Revised:** 03/30/2015

REVISION SUMMARY: This MSDS replaces the 03/10/2015 MSDS.

HMIS RATING

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

NFPA CODES



MANUFACTURER DISCLAIMER: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.