

Use Germ-A-Cide 64 In: Restaurants, Schools, Bathrooms, Dressing Rooms, Locker Rooms, Shower and Bath Areas, Exercise Facilities, Kennels, Pet Shops, Zoos. Use **Germ-A-Cide 64** on washable hard, nonporous surfaces of Countertops, Bathroom Fixtures, Floors. **Germ-A-Cide 64** is effective at eliminating odors on porous surfaces such as drapes, carpets, bedding, shower curtains and non-porous surfaces such as walls and floors. Excellent for fire restoration.

SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR ABOUT THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

DISINFECTANT	2 ounces per gallon of water
DILUTION: 1:64	4 ounces per 2 gallons of water
660 ppm quat	8 ounces per 4 gallons of water
	10 ounces per 5 gallons of water
	12 ounces per 6 gallons of water

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use on medical device surfaces.

DISINFECTANT/CLEANING/DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface, then thoroughly wet surface with a use-solution of 2 ounces of concentrate per gallon of water. Use 8 oz per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe the spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes.

For Human Coronavirus: treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry.
For Influenza Virus Type A: treated surfaces must remain wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.
Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions. **MILDEWSTATIC DIRECTIONS:** Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

"KILLS HIV-(AIDS VIRUS) AND HBV(HEPATITIS B VIRUS) AND HC(HV-1) OR HEPATITIS C VIRUS) ON PRECLEANED, HARD NON-POROUS ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood / body fluids, and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type (HIV-1) or Hepatitis B virus(HBV) or Hepatitis C virus(HCV).

Special Instructions for Disinfection, Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled with Blood / Body Fluids:
Personal Protection: Disposable protective gloves, gowns, face masks and eye coverings, must be worn during all cleaning of blood / body fluids and during decontamination procedures.

Cleaning Procedures: Blood / body fluids must be thoroughly cleaned from surfaces / objects before application of disinfectant.
Contact Time: Mix 2 oz. of Germ-A-Cide 64 per gallon of water. HIV-1 is inactivated after a contact time of 4 minutes at 25°C. HBV and HCV are inactivated after a 10 minute contact time. Use appropriate contact time as listed on label for all other viruses, bacteria and fungi claimed.

Disposal of Infectious Materials: Blood / body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOO'S / PET SHOP / KENNELS DISINFECTION DIRECTIONS:**

For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stalls, catieries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of Germ-A-Cide 64 per gallon of water for a period of 10 minutes. Use 8 oz. per gallon of water to kill Adenovirus Type 7. Immerse all animal handling and restraining equipment as well as forks, shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not reuse animals or employ equipment until treatment has been absorbed, set or dried.

FOR HEAVY DUTY CLEANING AND / OR ODOR CONTROL: When greater cleaning is desired, use 4 - 8 oz. of Germ-A-Cide 64 per gallon of water. Heavily soiled areas may require repeated cleaning before treatment.

Deodorizing Directions:
Carpet: 2 oz. per gallon of shampoo solution eliminates odors associated with urine, vomit, smoke, and mildew. Reapply after cleaning for freshening effects. Allow to dry.

Sewage Backup, Water, Smoke Damage: Use 2 - 4 oz. per gallon of water. Spray over affected areas before and after cleaning and extraction. Allow ten minutes contact time. Use proper ventilation; open windows.

Germ-A-Cide 64

ONE-STEP DISINFECTANT GERMICIDAL DETERGENT AND DEODORANT

Disinfectant - Pseudomonacidal - Staphylocidal -
Salmonellacidal - Bactericidal - Fungicidal -
Mildewstatic - *Virucidal

Active Ingredients:

Didecyl dimethyl ammonium chloride.....	2.54%
n-Aklyl (C ₁₄ , 50%, C ₁₂ 40%, C ₁₆ 10%) dimethyl benzyl ammonium chloride.....	1.69%
Inert Ingredients.....	95.77%
Total.....	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for Precautionary Statements and First Aid



Detco Industries
P.O. Box 430 Conway, AR 72033
www.detco.com

EPA Reg. No. 47371-131-58111
EPA Est. No. 58111-AR-1

NET CONTENTS 1 Gal.



Part # 0798-4X1
Batch #041520

Effective against the following pathogens:

Bacteria: Pseudomonas aeruginosa*, Staphylococcus aureus*, Salmonella enterica, Acinetobacter baumannii, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Enterobacter aerogenes, Enterobacter cloacae, Enterobacter cloacae - NDM-1, Enterococcus faecalis - Vancomycin Resistant(VRE), Escherichia coli - NDM-1, Fusobacterium necrophorum, Klebsiella pneumoniae*, Klebsiella pneumoniae - NDM-1, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Serratia marcescans, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Community Associated-Methicillin-Resistant(CA-MRSA)(NRS3384)(USA300), Staphylococcus aureus - Community Associated-Methicillin-Resistant(CA-MRAS)(NRS123)(USA400), Staphylococcus epidermidis*, Streptococcus faecalis*, Streptococcus pyogenes (Strep) Resistant - (VISA), Staphylococcus epidermidis*, antibiotic-resistant strain ² - antibiotic-resistant strain only

Viruses: Adenovirus Type 7 - at 8 oz. per gallon, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human coronavirus *HCoV-229E, *Influenza A Virus / Hong Kong, *Respiratory Syncytial Virus (RSV), *Rotavirus (WA), *Rubella virus, *SARS Associated Coronavirus (SARS), *Vaccinia virus

Animal Viruses: Avian Influenza virus H5N1, *Avian polyomavirus, *Canine distemper virus, *Feline leukemia virus, *Feline picornavirus, *Infectious bovine rhinotracheitis virus, *Infectious bronchitis virus, *Newcastle Disease virus, *Pseudorabies virus, *Rabies virus, *Transmissible gastroenteritis virus

Fungi: Aspergillus niger, Candida albicans, Trichophyton mentagrophytes (Athlete's Foot/Fungus)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER, Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/2 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.