

Date Prepared : 12/14/2010 **MSDS No :** 1384 Date Revised : 06/23/2015 **Revision No:** 1

Prevent

PRODUCT AND COMPANY IDENTIFICATION 1

PRODUCT NAME: Prevent **GENERAL USE:** Lubricant PRODUCT CODE: 1384

MANUFACTURER

Detco Industries, Inc. PO Box 430 Conway, AR 72033 Product Stewardship: (800) 282-2133 24 HR. EMERGENCY TELEPHONE NUMBERS CHEMTREC (US Transportation): (800) 424 - 9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Aspiration Hazard, Category 1

Physical:

Flammable Aerosols, Category 1 Liquefied Gases

GHS LABEL



SIGNAL WORD: DANGER

HAZARD STATEMENTS

H222: Extremely flammable aerosol.

- H280: Contains gas under pressure; may explode if heated.
- H304: May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENT(S)

Prevention:

- P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P211: Do not spray on an open flame or other ignition source.
- P251: Pressurized container: Do not pierce or burn, even after use.

Response:

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331: Do NOT induce vomiting.

Storage:

P410+P412: Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F. P403: Store in a well-ventilated place.

P405: Store locked up.



Prevent

Disposal:

P501: Dispose of contents/container in accordance with federal, state and local regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Mineral Oil	60 - 90	64742-53-6
Propane/isobutane	10 - 30	68476-86-8
Distillates, Petroleum, Hydrotreated Heavy Paraffinic	1 - 20	64742-54-7

4. FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If pain and/or irritation persists, get medical attention.

SKIN: Flush affected area with water for 15 minutes. Remove contaminated clothing. If pain and/or irritation persists, get medical attention. Launder clothes before reusing.

INGESTION: Do not induce vomiting. Give 2 glasses of water. Get immediate medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: Fire exposed containers may rupture.

EXTINGUISHING MEDIA: Carbon dioxide, water, foam or dry chemical.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove all sources of ignition. Contain spill. Absorb liquid and place in sealed container for disposal.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Store as Level 3 Aerosol (NFPA 30B)

STORAGE: Keep away from sources of ignition. Do not store at temperatures above 120F.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION



Date Prepared : 12/14/2010 MSDS No : 1384 Date Revised : 06/23/2015 Revision No : 1

Prevent

OSHA HAZARDOUS COMPONE	NTS (29 CFR1	910.12	00)		
		EXPOSURE LIMITS			
Chemical Name		OSHA PEL		SupplierOEL	
		ppm	mg/m ³	ppm	mg/m ³
Distillates, Petroleum, Hydrotreated Heavy Paraffinic	TWA	[1]	[1]	NL	NL
	STEL			NL	NL
Footnotes: 1. NL = Not Listed					
PERSONAL PROTECTIVE EQUIPMENT					
EYES AND FACE: Wear safety glasses with side shields (o	r goggles).				
SKIN: Wear rubber or nitrile gloves.					
RESPIRATORY: None.					

PROTECTIVE CLOTHING: None.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Aerosol-Pressurized Liquid/Gas **ODOR:** Slight **COLOR:** Amber **pH:** 10.0 FLASHPOINT AND METHOD: Extemely Flammable Aerosol FLAMMABLE LIMITS: N/D to N/D VAPOR PRESSURE: Not Determined VAPOR DENSITY: Not Determined **BOILING POINT:** Not Determined FREEZING POINT: Not Determined **SOLUBILITY IN WATER:** Insoluble **EVAPORATION RATE:** Not Determined SPECIFIC GRAVITY: 0.9 Notes: Concentrate Only. (VOC): < 30.000 % **COEFF. OIL/WATER:** Not Determined

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur.

STABILITY: Stable.

CONDITIONS TO AVOID: Temperatures above 120F, heat, flame and sources of ignition.



Date Prepared : 12/14/2010 MSDS No : 1384 Date Revised : 06/23/2015 Revision No : 1

Prevent

POSSIBILITY OF HAZARDOUS REACTIONS: None known. HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon. INCOMPATIBLE MATERIALS: None known.

11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY

Notes: None.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Not Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Aerosols, Ltd. Qty.

PRIMARY HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN1950

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: Yes

313 REPORTABLE INGREDIENTS: None known.


16. OTHER INFORMATION

PREPARED BY: E. Spicer Date Revised: 06/23/2015

REVISION SUMMARY: This MSDS replaces the 12/14/2010 MSDS. Revised: **Section 1:** GENERAL USE, PREPARED BY. **Section 2:** POTENTIAL HEALTH EFFECTS (SKIN, INHALATION, INGESTION). **Section 3:** Wt.%. **Section 5:** GENERAL HAZARD. **Section 6:** SMALL SPILL. **Section 9:** BOILING POINT, COEFF. OIL/WATER, EVAPORATION RATE, FLAMMABLE LIMITS, FLASHPOINT AND METHOD, FREEZING POINT, pH, SPECIFIC GRAVITY, VAPOR DENSITY, VAPOR PRESSURE, (VOC). **Section 10:** CONDITIONS TO AVOID, HAZARDOUS DECOMPOSITION PRODUCTS, INCOMPATIBLE MATERIALS, POSSIBILITY OF HAZARDOUS REACTIONS. **Section 14:** DOT (DEPARTMENT OF TRANSPORTATION) (PRIMARY HAZARD CLASS/DIVISION, UN/NA NUMBER). **Section 15:** FIRE, 313 REPORTABLE INGREDIENTS. **Section 16:** HMIS RATING (PERSONAL PROTECTION), MANUFACTURER DISCLAIMER, NFPA CODES - FLAMMABILITY.



Date Prepared : 12/14/2010 MSDS No : 1384 Date Revised : 06/23/2015 Revision No : 1



MANUFACTURER DISCLAIMER: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.