

# SAFETY DATA SHEET



Date Prepared : 05/22/2015  
MSDS No : 0282

Code Black

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Code Black  
**GENERAL USE:** RTV Sealant  
**PRODUCT CODE:** 0282

### MANUFACTURER

Detco Industries, Inc.  
PO Box 430  
Conway, AR 72033  
**Product Stewardship:** (800) 282-2133

### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEMTREC (US Transportation) :**(800) 424 - 9300

## 2. HAZARDS IDENTIFICATION

### GHS CLASSIFICATIONS

#### Health:

Eye Irritation, Category 2

#### Physical:

Flammable Aerosols, Category 1

### GHS LABEL



Flame



Exclamation  
mark

**SIGNAL WORD:** DANGER

### HAZARD STATEMENTS

H222: Extremely flammable aerosol.  
H319: Causes serious eye irritation.

### PRECAUTIONARY STATEMENT(S)

#### Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
P211: Do not spray on an open flame or other ignition source.  
P251: Pressurized container: Do not pierce or burn, even after use.  
P264: Wash hands thoroughly after handling.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.

#### Storage:

P410: Protect from sunlight.  
P412: Do not expose to temperatures exceeding 50°C/ 122°F.

# SAFETY DATA SHEET



Date Prepared : 05/22/2015  
MSDS No : 0282

Code Black

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Silica, Amorphous	10 - 20	7631-86-9
Ethyltriacetoxysilane	2.5 - 10	17689-77-9
Methyltriacetoxysilane	2.5 - 10	4253-34-3
Other ingredients below reportable levels	60 - 80	

## 4. FIRST AID MEASURES

**EYES:** Flush eyes with water for at least 15 minutes. If pain and/or irritation persists, get medical attention.

**SKIN:** Flush affected area with water for 15 minutes. Remove contaminated clothing. If pain and/or irritation persists, get medical attention. Launder clothes before reusing.

**INGESTION:** Do not induce vomiting. Give 2 glasses of water. Get immediate medical attention.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

## 5. FIRE FIGHTING MEASURES

**GENERAL HAZARD:** Fire exposed containers may rupture.

**EXTINGUISHING MEDIA:** Carbon dioxide, water fog, foam or dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.

**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Remove all sources of ignition. Contain spill. Absorb liquid and place in sealed container for disposal.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Store as Level 1 Aerosol (NFPA 30B)

**STORAGE:** Keep away from sources of ignition. Do not store at temperatures above 120F.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses with side shields (or goggles).

**SKIN:** Wear rubber or nitrile gloves.

**RESPIRATORY:** None.

**PROTECTIVE CLOTHING:** None.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Aerosol-Pressurized Liquid/Gas

# SAFETY DATA SHEET



Date Prepared : 05/22/2015  
MSDS No : 0282

## Code Black

**ODOR:** Acetic Acid while curing, then odorless

**COLOR:** Black

**pH:** NA = Not Applicable

**FLASHPOINT AND METHOD:** > (212°F)

**FLAMMABLE LIMITS:** N/D to N/D

**VAPOR PRESSURE:** Not Determined

**VAPOR DENSITY:** Not Determined

**BOILING POINT:** Not Determined

**FREEZING POINT:** Not Determined

**SOLUBILITY IN WATER:** Insoluble

**EVAPORATION RATE:** Not Determined

**SPECIFIC GRAVITY:** 1.007

**Notes:** Concentrate Only.

**(VOC):** < 1.000 %

**COEFF. OIL/WATER:** Not Determined

## 10. STABILITY AND REACTIVITY

**HAZARDOUS POLYMERIZATION:** Will not occur.

**STABILITY:** Stable.

**CONDITIONS TO AVOID:** Temperatures above 120F, heat, flame and sources of ignition.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon.

**INCOMPATIBLE MATERIALS:** Fluorine, chlorine.

## 11. TOXICOLOGICAL INFORMATION

### CARCINOGENICITY

**Notes:** None.

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** Not available.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Aerosols, Ltd. Qty.

**PRIMARY HAZARD CLASS/DIVISION:** 2.1

**UN/NA NUMBER:** UN1950

# SAFETY DATA SHEET



Date Prepared : 05/22/2015  
MSDS No : 0282

Code Black

## 15. REGULATORY INFORMATION

### UNITED STATES

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**FIRE:** Yes **PRESSURE GENERATING:** Yes **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

**313 REPORTABLE INGREDIENTS:** None known.


## 16. OTHER INFORMATION

**PREPARED BY:** E. Spicer **Date Prepared:** 05/22/2015

### HMIS RATING

<b>HEALTH</b>	<input type="checkbox"/>	<b>1</b>
<b>FLAMMABILITY</b>	<input type="checkbox"/>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<input type="checkbox"/>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="checkbox"/>	<b>B</b>

### NFPA CODES



**MANUFACTURER DISCLAIMER:** The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.