

SAFETY DATA SHEET



Date Prepared : 03/05/2009
MSDS No : 1634
Date Revised : 03/30/2015
Revision No : 2

Steam Away

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Steam Away
GENERAL USE: Cleaner
PRODUCT CODE: 1634

MANUFACTURER

Detco Industries, Inc.
 PO Box 430
 Conway, AR 72033
Product Stewardship: (800) 282-2133

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (US Transportation) :(800) 424 - 9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Corrosion, Category 1B
 Serious Eye Damage, Category 1

GHS LABEL



Corrosion

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENT(S)

Prevention:

P264: Wash hands thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
 P310: Immediately call a POISON CENTER or doctor/physician.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with federal, state and local regulations.

SAFETY DATA SHEET



Date Prepared : 03/05/2009

MSDS No : 1634

Date Revised : 03/30/2015

Revision No : 2

Steam Away

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
Water	to 100%	7732-18-5
Sodium Hydroxide	5 - 10%	1310-73-2
D-gluconic Acid, Monosodium Salt	1 - 2%	527-07-1

4. FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If pain and/or irritation persists, get medical attention.

SKIN: Flush affected area with water for 15 minutes. Remove contaminated clothing. If pain and/or irritation persists, get medical attention. Launder clothes before reusing.

INGESTION: Do not induce vomiting. Give 2 glasses of water. Get immediate medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: None.

EXTINGUISHING MEDIA: Carbon dioxide, water, foam or dry chemical.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain spill. Neutralize with a dilute acid solution. Absorb liquid and place in sealed container for disposal.

7. HANDLING AND STORAGE

STORAGE: Store in a tightly closed container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SAFETY DATA SHEET



Date Prepared : 03/05/2009

MSDS No : 1634

Date Revised : 03/30/2015

Revision No : 2

Steam Away

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)								
				EXPOSURE LIMITS				
				OSHA PEL		Supplier OEL		
Chemical Name				ppm	mg/m ³	ppm	mg/m ³	
Sodium Hydroxide				TWA	[1]	2 [1]	NL	NL
				STEL	[2]	[2]	NL	NL
Footnotes: 1. NL = Not Listed 2. C = Ceiling								

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields (or goggles).

SKIN: Wear rubber or nitrile gloves.

RESPIRATORY: None.

PROTECTIVE CLOTHING: Synthetic apron.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Slight

COLOR: Amber

pH: 13.0 to 13.5

FLASHPOINT AND METHOD: Not Flammable

FLAMMABLE LIMITS: N/D to N/D

VAPOR PRESSURE: Not Determined

VAPOR DENSITY: Not Determined

BOILING POINT: Not Determined

FREEZING POINT: Not Determined

SOLUBILITY IN WATER: Soluble

EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.085 to 1.095

(VOC): < 0.100 %

COEFF. OIL/WATER: Not Determined

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur.

STABILITY: Stable.

CONDITIONS TO AVOID: None.

INCOMPATIBLE MATERIALS: Strong acids, organic materials.

SAFETY DATA SHEET



Date Prepared : 03/05/2009
 MSDS No : 1634
 Date Revised : 03/30/2015
 Revision No : 2

Steam Away

11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY

Notes: None known.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Not available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid N.O.S

TECHNICAL NAME: (Sodium Hydroxide)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: 1760

PACKING GROUP: II

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Corrosive

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt. %	CERCLA RQ
Sodium Hydroxide	5 - 10%	1,000 lbs.

16. OTHER INFORMATION

PREPARED BY: E. Spicer **Date Revised:** 03/30/2015

REVISION SUMMARY: This MSDS replaces the 03/10/2015 MSDS. Revised: **Section 9:** COEFF. OIL/WATER.

SAFETY DATA SHEET



Date Prepared : 03/05/2009

MSDS No : 1634

Date Revised : 03/30/2015


Revision No : 2

Steam Away

HMIS RATING

HEALTH	<input type="checkbox"/>	2
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		C

NFPA CODES



MANUFACTURER DISCLAIMER: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.